

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee: Olshvanger, et al.
U.S. Patent No.: 7,432,518
Issue Date: October 7, 2008
Title: Entrance Window for Gas Filled Radiation Detectors
Attorney Docket No.: AAQUI.0138

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION FOR
MISTAKES UNDER BOTH 37 C.F.R. 1.322 AND 37 C.F.R. 1.323**

Applicants request correction under 37 CFR 1.322 to the above-identified patent. Upon reviewing the patent, an error made by the U.S. Patent and Trademark Office was found in Claim 15 and is fully described in the attached proposed Certificate of Correction. The correct wording can be found in Claim 15 on page 4 of the Amendment filed on March 18, 2008.

Applicants also request correction under 37 CFR 1.323 to the above-identified patent for errors made by the Applicants. The errors were inadvertently made by the Applicants in the original application filed on September 10, 2003 and are also fully described in the attached proposed Certificate of Correction.

Please charge Deposit Account No. 50-0392 for the fee of \$100.00 as set forth under 37 CFR 1.20(a). Applicants do not believe any additional fees are due, however, please charge any underpayments or credit any overpayments to Deposit Account No. 50-0392.

Applicants respectfully request grant of the enclosed proposed Certificate of Correction. Please send the Certificate to the undersigned attorney of record.

Date: 11/26/09

Respectfully submitted,

By: 

David W. Carstens
Registration No. 34,134
CARSTENS & CAHOON, L.L.P.
P.O. Box 802334
Dallas, TX 75383
(972) 367-2001 Telephone
(972) 367-2002 Facsimile

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,432,518
APPLICATION NO.: 10/657,861
ISSUE DATE : October 7, 2008
INVENTOR(S) : Olshvanger, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification:

Column 1, line 37, please replace "then" with --than-- therefore.
Column 2, line 24, please replace "is" with --in-- therefore.
Column 2, line 45, please delete "an."
Column 2, line 52, please insert --with-- between "window" and "good."
Column 3, line 48, please delete "is."
Column 5, line 10, please insert "to" between "According" and "the."

In the Claims:

Column 6, Claim 15, line 31, please replace "coating" with --coatings-- therefore.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

David W. Carstens
Carstens & Cahoon
13760 Noel Road, Suite 900
Dallas, Texas 75240

Docket No.: AAQUI.0138

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.